

1167

RECEIVED

United States Department of the Interior  
National Park Service

JAN 25 1991

OCT 07 1987  
STATE PARKS DIVISION

**NATIONAL REGISTER OF HISTORIC PLACES  
REGISTRATION FORM**

**NATIONAL  
REGISTER**

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in How to Complete National Register Forms (revised 1985). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form ) and identify the section being continued. Type all entries.

**1. NAME OF PROPERTY**  
 Olallie Lake Guard Station  
 historic name  
 other names/site number

**2. LOCATION**  
 Clackamas Ranger District, Mt. Hood National Forest  
 street & number 61431 E. Highway 224  not for publication  
 city, town Estacada  vicinity  
 state Oregon code 41 county Marion code 047 zipcode 97023

**3. CLASSIFICATION**

Ownership of Property	Category of Property	Number of Resources within Property	
		Contributing	Noncontributing
<input type="checkbox"/> private	<input checked="" type="checkbox"/> building(s)	1	0
<input type="checkbox"/> public-local	<input type="checkbox"/> district		buildings
<input type="checkbox"/> public-State	<input type="checkbox"/> site		sites
<input checked="" type="checkbox"/> public-Federal	<input type="checkbox"/> structure		structures
	<input type="checkbox"/> object		objects
		1	0 Total

Name of related multiple property listing:  
 USDA Forest Service Administrative Buildings  
 in the States of Oregon and Washington. Built  
 by the Civilian Conservation Corps

Number of contributing  
 resources previously listed in  
 the National Register 0

4. STATE/FEDERAL AGENCY CERTIFICATION

As the designated authority under the National Historic Preservation Act of 1966, as amended, I hereby certify that this  nomination  request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property  meets  does not meet the National Register criteria.  See continuation sheet.

Wan J. DeSlois  
 Signature of certifying official 1-8-91  
Date  
USDA Forest Service  
 State or Federal agency and bureau

In my opinion, the property  meets  does not meet the National Register criteria.  See continuation sheet.

[Signature]  
 Signature of commenting or other official October 9, 1987  
Date  
 Deputy State Historic Preservation Officer  
 State or Federal agency and bureau

5. NATIONAL PARK SERVICE CERTIFICATION

I, hereby, certify that this property is:

	for Signature of the Keeper	Date of Action
<input checked="" type="checkbox"/> entered in the National Register.	<u>Antoinette Hee</u>	<u>3/6/91</u>
<input type="checkbox"/> determined eligible for the National Register.	_____	_____
<input type="checkbox"/> determined not eligible for the National Register.	_____	_____
<input type="checkbox"/> removed from the National Register.	_____	_____
<input type="checkbox"/> other, (explains) _____	_____	_____

**6. FUNCTION OR USE**

Historic Functions (enter categories from instructions)

GOVERNMENT: Government Office

Current Functions (enter categories from instructions)

GOVERNMENT: Government Office

**7. DESCRIPTION**

Architectural Classification (enter categories from instructions)

Materials (enter categories from instructions)

OTHER: Rustic architecture of the USDA

foundation concrete

roof wood: shingles

Forest Service in the

walls wood

other: lava rubble, vertical

Pacific Northwest Region

board & batten,

semi-lunate ship-

lap, shingles

Describe present and historic physical appearance.

See continuation sheet

**8. STATEMENT OF SIGNIFICANCE**

Certifying official has considered the significance of this property in relation to other properties:

nationally  statewide  locally

Applicable National Register Criteria  A  B  C  D

Criteria Considerations (Exceptions)  A  B  C  D  E  F  G

Areas of Significance (enter categories from instructions)

POLITICS/GOVERNMENT

CONSERVATION

ARCHITECTURE

Period of Significance

Significant Dates

Cultural Affiliation

1933-1942

1939

N/A

Significant Person

N/A

Architect/Builder

Regional Office Architectural Group--Linn

A. Forrest, Howard L. Gifford, Ward Gano,

James Pollock, Emmett U. Blanchfield

State significance of property and justify criteria, criteria considerations, and areas and periods of significance noted above.

See continuation sheet

**9. MAJOR BIBLIOGRAPHICAL REFERENCES**

- Previous documentation on file (NPS):
- preliminary determination of individual listing (36 CFR 67) has been requested
  - previously listed in the National Register
  - previously determined eligible by the National Register
  - designated a National Historic Landmark
  - recorded by Historic American Buildings Survey # \_\_\_\_\_
  - recorded by Historic American Engineering Record # \_\_\_\_\_

See continuation sheet

- Primary location of additional data:
- State historic preservation office
  - Other State agency
  - Federal agency
  - Local government
  - University
  - Other

Specify repository:  
USDA Forest Service, Regional Office,  
Pacific Northwest Region, Recreation Unit

**10. GEOGRAPHICAL DATA**

Acreeage of property 0.92 acres

UTM References

A	Zone	Easting	Northing	B	Zone	Easting	Northing
	110	519,572,5	4,916,283,0				
C				D			
E				F			
G				H			

Verbal Boundary Description

See continuation sheet

**Boundary Justification** The boundaries are drawn to include those buildings and spaces that describe the Forest Service administrative use of the site. The area encompassed is limited to the portion of the tract designated for administrative withdrawal containing the actual improvements and such spaces as may define the site function.

See continuation sheet

**11. FORM PREPARED BY**

name/title E. Gail Throop, Regional Historian  
 organization USDA Forest Service, Pacific Northwest Region date 9/2/86  
 street & number 319 SW Pine, P.O. Box 3623 telephone (503) 221-3644  
 city or town Portland state Oregon zip code 97208

United States Department of the Interior  
National Park Service

# National Register of Historic Places Continuation Sheet

Section number \_\_\_\_\_ Page \_\_\_\_\_

### SUPPLEMENTARY LISTING RECORD

NRIS Reference Number: 91000169 Date Listed: 3/6/91

<u>Olallie Lake Guard Station</u>	<u>Marion</u>	<u>OR</u>
Property Name	County	State

USDA Forest Service Administrative Buildings in OR and WA Built  
by the CCC  
Multiple Name

-----  
This property is listed in the National Register of Historic  
Places in accordance with the attached nomination documentation  
subject to the following exceptions, exclusions, or amendments,  
notwithstanding the National Park Service certification included  
in the nomination documentation.

*for* *Antoinette J. Rice*  
Signature of the Keeper

*3/6/91*  
Date of Action

=====  
**Amended Items in Nomination:**

**Classification:** The number of contributing buildings should be  
increased by one and the total number of contributing resources  
increased by one.

**Statement of Significance:** The check next to Criteria  
Consideration G should be deleted. The Period of Significance  
should be amended to read: 1939-41.

This information was confirmed with Evan DeBloois, Preservation  
Officer, Forest Service.

**DISTRIBUTION:**

National Register property file  
Nominating Authority (without nomination attachment)

United States Department of the Interior  
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES  
CONTINUATION SHEET**

Section number   7   Page   1   of   1  

---

Olallie Lake Guard Station

Guard Station: Detached office with living quarters; rectangular plan, 1 story, poured concrete foundation, nailed-wood frame, medium hipped gable roof, small center gable does not extend beyond eaves trim; rubble masonry exterior end chimney on right side elevation. Exterior walls are clad with semi-lunate shiplap to four-foot level, vertical board and batten to eaves and on gable ends. Windows are four and eight-light single sash in vertical placement, all flanked by decorative vertical board shutters with single complex tree symbol excised from center. Main entry, centered on west-facing facade, is single-leaf door surfaced with boards in chevron pattern; single step hewn from a section of peeled log. No obvious structural or material alterations to exterior.

Garage/Storage: Detached single vehicle storage; rectangular, 1 story, poured concrete foundation, nailed-wood frame, wood-shingled medium gable roof. Exterior walls are clad with vertical board and batten. No windows. No decoration.

NPS Form 10-900a  
(1/86)

United States Department of the Interior  
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES  
CONTINUATION SHEET**

Section number   8   Page  1 of 1 

---

The Olallie Lake Guard Station typifies the construction projects undertaken by the Civilian Conservation Corps and signifies the aid to the local community provided by the emergency work-relief program through employment of youth and experienced craftsmen, purchase of building materials and camp supplies, and personal expenditures of enrollees. The property represents the Forest Service's presence in the locality, as the headquarters for field operation, and denotes, via the physical facilities required to carry out the agency's expanding responsibilities, the critical transition in the Service's development from custodial superintendence to extensive resource management. The Olallie Lake Guard Station exemplifies the rustic architectural idiom developed by the Forest Service, Pacific Northwest Region, to impart Forest Service identity and to represent its purposes and ideals, and signifies the agency's particular interpretation of a singular expression of early twentieth century American architectural thought. Possessing very high qualities of design and execution, the Guard Station is a very good example of an architectural locution invested with special aesthetic and associative values by the agency that created it.

NPS Form 10-900a  
(1/86)

United States Department of the Interior  
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES  
CONTINUATION SHEET**

Section number   9   Page   1   of   1  

---

1935-1941 Building Plans and Specifications, Unit of Engineering Files, USDA Forest Service, Regional Office, Portland, Oregon. Microfilm.

Administrative Site Plans, Unit of Recreation Files, USDA Forest Service, Regional Office, Portland, Oregon. Microfilm.

Photograph Collections, Office of Information and Unit of Recreation Files, USDA Forest Service, Regional Office, Portland, Oregon.

Property, Capital Investment, and Building Maintenance Records; Improvements Atlases. Internal Documents on File in Forest Supervisor's Offices. Locations Available USDA Forest Service, Regional Office, Portland, Oregon.

NPS Form 10-900a  
(1/86)

United States Department of the Interior  
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES  
CONTINUATION SHEET**

Section number 10 Page 1 of 1

---

**Olallie Lake Guard Station:**

From the Bench Mark designated S 355 ( a standard disk stamped "S 355 1942") about 0.4 mile southwest along the Breitenbush road from Olallie Lake Guard Station, Jefferson County, about 0.3 mile northeast of a sign "Olallie Lake," about 100 feet west of the west edge of Olallie Lake, near the east end of a corrugated-iron pipe culvert, 35 feet east of the center line of the road, in the top of a rock, and about level with the road, as described in the records of the United States Coast and Geodetic Survey; thence north  $29^{\circ}$  east 2,100 feet to the junction of Forest Service roads #4220 and #170 (all bearings and distances are calculated and subject to adjustment in actual field location); thence south  $29^{\circ}$  east 150 feet to the northeast corner of the property; thence south  $0^{\circ}$  west 200 feet; thence north  $0^{\circ}$  west 200 feet; thence north  $0^{\circ}$  east 200 feet; thence south  $0^{\circ}$  east 200 feet to close on the northeast corner of the property. The site boundaries are delineated so as to include the Olallie Lake Guard Station; area of the property is 0.92 acre, more or less.



- 1) Name of Property: Olallie Lake Guard Station
- 2) City and State: Vicinity of Estacada, OR
- 3) Photographer: Susan Marvin
- 4) Date: 7/85
- 5) Negative Location: USDA Forest Service, Regional Office, Recreation Unit, CRM files.
- 6) Description: Looking southeast, view of north and west elevations of guard station
- 7) Photograph Number: 6-03-MHCOL-2



VISITOR  
PARKING  
10 MIN

- 1) Name of Property: Olallie Lake Guard Station
- 2) City and State: Vicinity of Estacada, OR
- 3) Photographer: Susan Marvin
- 4) Date: 7/85
- 5) Negative Location: USDA Forest Service, Regional Office, Recreation Unit, CRM files.
- 6) Description: Looking east, view of west (main) elevation of guard station
- 7) Photograph Number: 6-03-MHCOL-1