Form 10-300 (Rev. 6-72)

S

 $\alpha$ 

ш

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

STATE:	
	Oregon
COUNTY	
	Multnomah
	FOR NPS USE ONLY

## NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

		• •				ENTRY DAT	TE	EUNLI	$\equiv$	!
	(Type all entries	complete appl	icabl	e section	ns)	<del></del>	- D	EC 3 171974	<u>57</u>	10
1.	NAME							03 <del>x</del> (2)		(S)
•	COMMON:						/	DECEMP	914	7
	·	Portland Ar	t Mu	useum			18.5	Kra	<u>`</u>	a t
	AND/OR HISTORIC:						-	Alle	67	(E) 1
5	LOCATION						<u> </u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>کن</u>	\ E
	STREET AND NUMBER:						•	S. C.		(V)
	1219 SW Park Avenu	е			Represe	ntative	Edith G	reen 7711	$\Pi$	
	CITY OR TOWN;				CONGRESSI	ONAL DISTR		gon's Thir	d	
	Portland STATE					ngressio	nal Dist	trict		
	_			CODE	COUNTY:		,	COL		
	Oregon 97201 CLASSIFICATION			41	ıı	Multnoma	h	05	1	
<b>⊘</b> ∙∷						1		400500101		
	CATEGORY (Check One)	Ç	)WNE R	RSHIP		ST	ATUS	TO THE PUBL	- 1	
	☐ District 🕱 Building	▼ Public	Public	Acquisiti	on:	X Occu	pied	Yes:		
	Site Structure	☐ Private	[	_ In Proc	ess		cupied	☐ Restricted		
	☐ Object	☐ Both	[	Being	Considered	☐ Prese	rvation work	X Unrestricte	d	
						in	progress	□ No		
	PRESENT USE (Check One or M	ore as Appropriate)						L	$\neg$	
	☐ Agricultural ☐ Go	vernment	Park			Transpo	rtation	☐ Comments		
	Commercial Ind	ustrial	Privo	ate Reside	nce	Other (S)			_	
	☐ Educational ☐ Mil	itary 🔲	Relig	gious	-					
	🔲 Entertainment 🔀 Mu	seum 🗌	Scier	ntific	-					
4.	OWNER OF PROPERTY					-				
	OWNER'S NAME:									S T A
		Portland Art	As	sociat;	ion				02	T E
	STREET AND NUMBER:	1010 017 /+1	<b>A</b>						Oregon	
	CITY OR TOWN:	1219 SW 4th	Ave	nue	STATE:	:		CODE	) E	1
		Portland				Oregon	97201	41	1	-
5.	OCATION OF LEGAL DESC					-2-6				
	COURTHOUSE, REGISTRY OF D	EEDS, ETC:			***************************************				ĭχ	6
		Multnomah Co	unt	y Cour	thouse				Mu1t	COUN
	STREET AND NUMBER:	1021 017 /-1-	A						nomah	7.
	CITY OR TOWN:	1021 SW 4th	Ave	nue	STATE	·		CODE	nat	1
								<u> </u>		
		Portland				Oregon	97201	41	<del> </del>	$\sqcap$
6.	REPRESENTATION IN EXIST				I	<u></u>				
	TITLE OF SURVEY:									m Z
	Statewide Inventor	y of Historic			l Buildi					집
	DATE OF SURVEY: 1970 DEPOSITORY FOR SURVEY RE	CORDS.		Federal	X State	C•	unty	Local	믔	FOR NP
									C	0 0
	Parks and Recreati	on Section		· · · · · · · · · · · · · · · · · · ·					31	USE
	State Highway Buil	ding							197	ONLY
	CITY OR TOWN:				STATE:			CODE	4	1 1
	Sa1em					Oregon	97310	41		DATE
									1	mi

7,	DESCRIPTION						
					(Check One)		
	COMPLETION	🔀 Excellent	☐ Good	☐ Fair	Deteriorated	☐ Ruins	Unexposed
	CONDITION		(Check Or	1e)		(Ch	eck One)
		∑ Alter	red	Unaltered		☐ Moved	▼ Original Site
	DESCRIPE THE DE	SECENT AND ON	CINAL (if Im	aven) DUVELEA	ADDEADANCE		

The Portland Art Museum occupies a full block and a portion of a closed street fronting on the South Park Blocks in downtown Portland. The building originally incorporated portions of the old Ladd School, purchased by the Portland Art Association in 1931. Two wings were constructed from designs by Pietro Belluschi of A. E. Doyle and Associate in 1932 and 1938. In the Ayer Wing, the first to be constructed, are the entrance, sculpture court and galleries. The Hirsch, or second Wing provided two floors of additional gallery space. The recently completed and most extensive addition, known as the Madison Street Wing, houses an auditorium and new facilities for the Museum Art School. It too was designed by Belluschi.

The following are excerps quoted directly from Marion Dean Ross, "The Museum Building As a Work of Art," Notes on the Collections of the Portland Art Museum, Number 7 (1967).

The Ayer Wing (1932), facing east, occupying the entire frontage on the Park Blocks.

The facade on the Park Blocks, seen in elevation, presents a dignified and calmly composed design of five principal divisions symmetrically balanced about the triple entrance.

While this five bay composition is essentially traditional, the detail is not. Surviving studies show that historical forms were at least considered, but in the end the derivative character was eliminated until only the symmetrical grouping of the masses remained to give a hint of the evolution of the design. The materials are fine and well used. There are no extraneous ornaments. The orange-red brick is admirably accented by the travertine moldings of the door and window frames and of the base course and crowning band. The detail is used in traditional positions but with a quite unusual form. The travertine band at the top of the wall can hardly be described as an entablature though it is in the place an entablature would have had in a classical design. It is interesting that the architect, in the process of eliminating historical features, reduced the topmost member to a narrow molding rather than replacing the cornice with a wide over-hanging slab which might have well happened in the period. The elegant frames of the triple doors are repeated in long windows in the north and south ends of the building.

The interior of the Ayer Wing was designed to be part of a larger structure which had it been built in time, would probably have had a strongly marked central axis. As it was, it contained a spacious lobby with a (Continued)

RECEIVED AND TOWN

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Oregon	
COUNTY	
Multnomah	
FOR NPS USE ONL	Y
ENTRY NUMBER	DATE
DEC 3 1 1974	

(Number all entries)

#### PORTLAND ART MUSEUM (CONTINUED)

#### 2. Location

The Portland Art Museum is in the NE 1/4, Sec. 4, T. 1S., R. 1E, of the Willamette Meridian, Multnomah County, Oregon, in Portland, original plot, Block 223, Assessors Map #3128.

### 7. <u>Description</u>

larger and a smaller gallery on each side to the north and south. The plan was repeated on the second floor. A large opening opposite the entrance gave access to a hall for the display of casts which was contrived in part from the structure built on the foundations of the old Ladd School. The new galleries were very simply treated with a minimum of architectural detail. This detail for the most part followed sound customary practice, ultimately derived from the forms of classical moldings. The entrance lobby offered the opportunity for somewhat more elaboration. While the detail is generally unobtrusive, patterns such as those in the ceiling and in the door grilles betray a more dated character than almost anything else in the design. In general, great care was taken to have the ventilation and lighting of the galleries up-to-date and appropriate for their intended use. The most important feature of the interior was the lighting of the upper picture galleries. This, obviously a matter of the utmost importance in the design of picture galleries, was here studied with particular care so that the walls would be amply and evenly lighted with a minimum of glare on the picture surfaces. All the notices about the new building in the architectural and museum journals called attention to the excellence of this feature. To achieve this Mr. Belluschi introduced a system of four-sided monitors cantilevered over the center of the galleries instead of the more customary skylights. These monitors provide an admirable source of light and incidentally add a feature of spatial interest to the rectangular rooms. It was noted at the time that this was the first use of monitor lighting in a

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Oregon	
COUNTY	
Multnomah	
FOR NPS USE ONL	Υ.Υ
ENTRY NUMBER	DATE
nrc a 1	1974

(Number all entries)

### PORTLAND ART MUSEUM (CONTINUED)

### 7. Description

a museum in the United States, and it was certainly uncommon in Europe though Sir John Soane had used a somewhat similar feature in his Dulwich Gallery in 1811-14. The monitors rise above the roof line and are not hidden by a parapet on the exterior. However, due to their location over the center of the galleries they do not count as an important feature in the usual view of the building although their forms are carefully related to the mass of the building below. In elevation drawings they can be seen as frankly designed glass-sided boxes.

## The Hirsch Wing (1938), running along the south side of the block to Tenth Avenue.

Only five years after the construction of the Ayer Wing, the Museum was fortunate in receiving funds to build a considerable addition. For the Hirsch Wing, opened in 1938, the architect was again Pietro Belluschi; the firm was still nominally A. E. Doyle and Associate. Though the first section had been planned to have additions, the actual form they would take undoubtedly had to wait until funds became available. The generous Hirsch gift made possible an addition approximately doubling the exhibition space of the museum.

The exterior of the Hirsch Wing running along the south side of the block to Tenth Avenue harmoniously continued the general character of the main facade. The elegant vertical proportions of the end windows in the Ayer Wing were used throughout the ground floor of the new construction thus eliminating the somewhat dated character of the horizontal windows. The new wing included two unusual features. One was a large sculpture court which replaced the temporary hall where the collection of casts had been displayed. Opening into both stories and rising above the ceiling height of the second floor galleries, this room became partially the focal point of

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Oregon	
COUNTY	
Multnomah	
FOR NPS USE ONLY	1
ENTRY NUMBER	DATE
DEC 3 1 197	4

(Number all entries)

PORTLAND ART MUSEUM (CONTINUED)

### 7. <u>Description</u>

the Museum with dramatic views into it from both levels.

The Sculpture Court with its large, symmetrically placed north skylight, served to extend the balanced spatial composition of the Park Front and at the same time to form an approach to the new galleries asymmetrically located to the southwest of the Ayer Wing. Very ingeniously it belongs spatially to both the Ayer and Hirsch Wings. The symmetrical formality of the Ayer Wing which might have become too rigid and conventional was thus given an organic unity with the new construction. From this point onward the museum building could grow to fill the entire block ... without the necessity of following an axial pattern ...

Through openings framed by vertical travertine slabs, the other unusual feature of the Hirsch Wing could be seen from the Sculpture Court. This was a small enclosed court, open to the sky, which was planned for the display of sculpture in an intimate but outdoor setting. From the point of view of the plan, this outdoor court served to articulate the space and differentiate the large masses of the two gallery wings. From the outside, along Jefferson Street, it not only served to articulate the facade, but it gave a tantilizing and slightly mysterious suggestion to the exterior, suggesting to the passerby the need to explore the interior. As an exhibition space this little court was beautifully adapted for the display of moderately scaled pieces of sculpture. It was simply but very elegantly detailed. Henry-Russell Hitchcock writing in an article which appeared in California Arts and Architecture for December 1940, said, ". . . the little exterior court with its cantilevered travertine slab roof around the edge recalls the purity and richness of Mies van der Rohe's finest work."

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Oregon	
COUNTY	
Multnomah	
FOR NPS USE ONLY	1
ENTRY NUMBER	DATE
MFC 3 1 197	4

(Number all entries)

### PORTLAND ART MUSEUM (CONTINUED)

### 7. Description

This was high praise indeed from one of the leading historians of modern architecture. This court has now been converted into an indoor gallery (used at first as a Members' Room), not entirely to the advantage of the architecture.

The galleries in the Hirsch Wing, while not displaying the unusual features of the great Sculpture Court or little outdoor court, were designed with the same care for lighting and ventilation that had characterized the earlier ones in the Ayer Wing. The tall windows in the ground floor galleries were an improvement over the horizontal strips in elegance and dignity if not in actual lighting. Monitors were again successfully used over the upper galleries. The corridor on both floors was also adapted for exhibition purposes. On the ground floor it had to be illuminated by artificial light, but on the second floor light from a north angled skylight was cleverly diffused and filtered onto the walls through a screen of metal fins.



SIGNIFICANCE			
PERIOD (Check One or More as	Appropriate)		
Pre-Columbian	☐ 16th Century	18th Century	🔀 20th Century
☐ 15th Century	☐ 17th Century	19th Century	
SPECIFIC DATE(S) (If Applicab	le and Known)		
AREAS OF SIGNIFICANCE (Che	eck One or More as Appropri	ate)	5.5.7.7
Abor iginal	☐ Education	☐ Political	U V baloning
☐ Prehistoric	Engineering	Religion/Phi-	Qiper (Specific)
☐ Historic	Industry	losophy	RECEIVED
Agriculture	Invention	Science	AUG 8
X Architecture	Landscape	Sculpture	4
∑ Art	Architecture	Social/Human-	NATIONAL
☐ Commerce	Literature	itarian	REGISTER
☐ Communications	Military	Theater	
☐ Conservation	Music	Transportation	- CITTLE

STATEMENT OF SIGNIFICANCE

The Portland Art Museum was the first of nationally prominent Pacific Northwest architect Pietro Belluschi's buildings to come to national attention. In particular, his use of monitor lighting in the upper galleries was hailed as a novel and appropriate solution to the problem of providing good light without glare. The museum and another Belluschi building, The Finley Mortuary of 1937, were included in a 1938 list of the 100 best buildings done in the United States in the preceding 20 years.

Pietro Belluschi was born în Italy in 1899. Following his graduation from the University of Rome în 1922, he immigrated to America and continued his studies at Cornell. In 1927 he joined the office of the prominent Portland architect A. E. Doyle and quickly rose to the position of chief designer. Following the death of Doyle in 1928 he assumed leadership of the firm, changing the name to A. E. Doyle and Associate in 1933, and Pietro Belluschi în 1943.

During the Thirties and Forties, Belluschi's work, especially residences and churches, began to show the development of an increasingly regional character, which has since become known as the Northwest Style. It is characterized by low mansing and ample roofs with a combination of hip and gable and broken slopes. The spacial sense of architecture is combined with materials, especially timber and natural colors of the Pacific Northwest. Some faint Japanese influence may be felt, but by and large it is based on regional vernacular building forms and techniques.

The International style Equitable Building in Portland, completed in 1948, firmly cemented Belluschi's reputation as a versatile designer of material importance. He left Oregon in 1951 to become Dean of the School of Architecture and planning at The Massachusetts Institute of Technology, and has been the recipient of numerous honors and awards.

The design of the Portland Art Museum has stood the test of time and changing tastes. Over forty years after its construction, it continues to stand with easy dignity, and is expected to grace Portland's Park Blocks for some time to come.

### 9. MAJOR BIBLIOGRAPHICAL REFERENCES

Ross, Marion Dean, "The Museum Building as a Work of Art," Notes on the Collections of the Portland Art Museum, Number 7 (1967). Prepared as an insert with the Annual Report of the Portland Art Association 1966-1967.

Ross, Marion Dean, "The Attainment and Restraint of Pietro Belluschi," AIA Journal, July, 1972.

		ALA	Journal,	July, 197	2.								
10	GEOGI	RAPHICAL	DATA										ĺ
		LATITUDE	AND LONGITU	JDE COORDINA	TES				AND LONG				l
	DEFIN	IING A REC	TANGLE LOC	ATING THE PR	OPERTY	0	DEFI		L CENTER			ERTY	
ľ	CORNER	LAT	TITUDE	LONGIT	UDE	R		ATITUDE			ONGITUD	)E	ľ
Ì		Degrees Min	nutes Seconds	Degrees Minute			<del></del>		Seconds			Seconds	ĺ
	NW	0	, , , ,	0	, ,		N45°	30	59 •	W122	40,	56 °	ĺ
	NE	۰			. "							•	
1	SE		, ,	0	, ,								l
- 1	SW	Ω.			, .			1	1118/				
Ī		MATE ACR	EAGE OF NON	MINATED PROP	ERTY: 1		· · · · · · · · · · · · · · · · · · ·			(0) X	·		:
ŀ	LIST ALL	STATES A	ND COUNTIE	FOR PROPER	TIES OVER	RLA	PPING STA	TOOR	OUN TO BO	UNDARUE	 3		
٠,	STATE:				CODE		COUNTY /		£147 3	<del>&gt; \</del>	<del></del>	CODE	
-					<u> </u>	-	,	Z 88	70 ° 10	N E	1		
-	STATE:				CODE	+,	COUNTY:	4	ine 8	45.6 E	:	CODE	
- [	JIAIL.					┨`	10011111	ゴ		sv E	/	-	
ŀ					CODE	+	COUNTY:	\ <del>*</del> \	-415G		<del></del>	CODE	
	STATE:				CODE	┦`	COUNTY:	$\vee$	60	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		CODE	
-						$\bot$		$-\sqrt{\epsilon}$					1
	STATE:				CODE	-  '	COUNTY:	_	1.01			CODE	1
						1				************************			
		PREPARE	DBY										
- [		ID TITLE:											
L	_Paul	B. Har	twig, Par	k Historia	an and I	D.	W. Pow	ers I	II. Tem	orary	Assist	tant	
	ORGANIZ	ATION							,	DATE			
-	Parks	s and Re	ecreation	Section						Ju1	y 18,	1974	
- [	TREET	AND NUMBE	ER:										
	State	e Highwa	ay Divisi	on									
Ī	CITY OR	TOWN:				s	TATE					CODE	ı
	Saler	m				1	0	regon	97310			41	
12.	STATE	LIAISON	OFFICER C	ERTIFICATIO	N		N,	ATIONA	L REGIST	ER VERIF	ICATIO	N	ı
T						-			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
- 1						- [[						•	
	As the	designate	d State Liais	on Officer for	the Na-		I hereby	certify t	hat this pr	onerty is	included	in the	
	tional	Historic P	reservation A	ct of 1966 (Pu	ıblic Law		_		•	operty 10	micruacu	In the	1
	89-665	i), I hereby	nominate thi	s property for	inclusion		Nøtiona I	Registe	r.	7			
l	in the	National R	Register and c	ertify that it h	as been			12 1	)	7			
	evalua	ated accord	ing to the c-i	teria and proce	edures set			UX	4100	resee	Soc	•	
- 1	forth b	y the Natio	onal Park Ser	vice. The rec	ommended				<u>- ~~</u>				
	level o	of significa	nce of this n	omination is:			Director,	Office of	Archeology	and Histor	ic Preser	vation	
		ational [	ר State		1 [	1							
						-			DEC 3	1 1974			
1			1 405	11/1	1	1	Date			- 13/7			
1				alow	7								
X							ATTEST	$\sim$		1			
٦						1	/	/		11/	1	ا مستعمر	
						- 13			/ X				
	Title	State	Parks Su	perintende	ent	- 11	å, i	9 <i>il</i>		A DA	Mar	0/	
	Title	State	Parks Su	perintende	ent		10	pall	1 DD.	BUL	Mey		
	Title	State	Parks Su	perintende	ent		Act	All Seepe	er of The N	JUS Vational R	MU egister		

GPO 931-894



DATE
DATE
<u> </u>
<u> </u>
***************************************
/
051
97310

STATE